

Magswitch Technology, Inc. 1355 Horizon Ave. Lafayette, CO 80026 USA Magswitch.com.au 303-468-0662

Magswitch MagMount 150 P/N: 8100579

The Magswitch MagMount is a single lever operation switchable magnet that allows for easy movement and placement of a tool. The top mount magnets feature two magnets are ideal for supporting fixtures over a distance. The fixed bar magnet is for flat steel, the swivel bar magnet is for round or uneven shapes.



WARNING! Do Not Operate Unless In Contact With Ferrous Target

SPECIFICATIONS	
P/N: 810579 - MAGSWITCH MagMount 150	
Max Breakaway*	150 lbs/68 kg
Full Saturation Thickness	10ga / 2.5 mm
2:1 Shear Working Load*	10.6 lbs/4.8 kg
Net Weight	0.8 lbs/0.4 kg
Overall Height	32 mm
Magnetic Pole Footprint	40mm x 31.2 mm





WORKING SURFACE BLACK = BEST




Part Number 110915 Revision Date: March 1, 2016

^{*} Max Breakaway determined in laboratory environment on 2" thick SAE1018 Steel with surface roughness 63 micro inches. Many factors contribute to the actual breakaway force in each application. Always test the magswitch in each application before deployment. Refer to the magswitch information booklet for more information.









Part Number 110915 Revision Date: March 1, 2016